

OLENE S. WALKER Governor

GAYLE McKEACHNIE

Lieutenant Governor

Administrative Services S. CAMILLE ANTHONY *Executive Director*

Purchasing and General Services DOUGLAS RICHINS Division Director

September 8, 2004

******ADDENDUM******ADDENDUM******

BID NUMBER: PM5030 DUE DATE: 09/14/04

TIME: 2:00 P.M.

ADDENDUM #1: PM5030 AD1

DESCRIPTION: RECLAMATION CONSTRUCTION – WHITE OAK MINE PROJECT

PLEASE NOTE CHANGES PER THE ATTACHED DOCUMENT:

1.. The bid due date and time remain the same.

		n bid submittal or give written acknowledgement with bid. rmation to all concerned prior to the assigned bid time.
Signature	Date	_
Company Name		



WHITE OAK MINE PROJECT AMR/007/934 RX 560 52000000003

ADDENDUM 1: INVITATION FOR BIDS

This addendum, applicable to work designated herein, shall be part of and included in the Contract. All revisions noted herein shall apply to all parts of the Drawings and Specifications affected by those revisions, whether or not specifically noted below.

Re: <u>Invitation for Bids Additional information Changes</u>

PLEASE NOTE BID NUMBER HAS CHANGED. THE NEW BID NUMBER IS PM5030.

At the prebid meeting on September 7, 2004, certain changes were discussed. This summary serves as an official clarification of changes made to the Invitation for Bids.

1. <u>Contractor Information Availability</u>

Information on bid specifications for downloading, plan holders and meeting attendees is online at: http://ogm.utah.gov/amr/contract.htm

2. Section 0280 – Drainage Control

2.02 - Riprap

Onsite riprap shall be utilized for drainage construction. Riprap shall be durable sandstone material and contain no shale or shaley sandstone materials. Riprap shall not exceed 18-inches in any direction.

3. Section 0290 – Revegetation

2.01 - Plant Materials

Suggested plant materials sources include:

	,	_
H Barton Seed	Maughan Seed	Stevenson Intermountain Seed
Russell Barton	Brad Maughan	Ron Stevenson
222 E Union Street	PO Box 72	488 South 100 East
Manti UT 84642	Manti UT 84642-0072	Ephraim UT 84627
(435) 851-2347	(435) 835-0404	(435) 283-6639
Bitterroot Restoration BRI	Mountain West Seed	Steve Parr
445 Quast Lane	Jeremy Andreason	Upper Colorado Environmental
Corvallis, MT 59828	19 North 100 West	Plant Center
Phone: (406) 961-4991	Ephraim UT 84627	5538 RBC #4
Fax: (406) 961-4626	(435) 283-4704	Meeker, CO 81641
, ,	,	(970) 878-5003
Fremont Trading	NP Seed	Wagstaff Seed
Richard Stevens	Jim Rhodes	Fred Wagstaff
450 South 50 East	206 East 300 South	PO Box 68
Ephraim UT 84627	Manti UT 84642	Wallsburg UT 84082
(435) 283-4701	(435) 835-8301	(435) 654-3439
,	,	,
Granite Seed	Native Seed	Wheatland West Seed
Don Bermant	Kyle Wagstaff	Orson Boyce
1697 West 2100 North	7361 Pineridge Drive	1780 N Hwy 38
Lehi UT 84043	Park City UT 84772	Brigham City UT 84302
(801) 768-4422	(435) 640-0557	(435) 734-9191
` '		
Harvest Moon	Plummer Seed Mark Plummer	Lone Peak Conservation
Jimmy Goble	228 East 200 North	Nursery
525 East 300 North	Ephraim UT 84627	271 West Bitterbrush Lane

White Oak Mine Project AMR/007/934

RX 560 52000000003 Addendum 1: Invitation for Bids

Page 2

Richfield UT 84701 (435) 979-8549 or (435) 896-6129	(435) 283-4844	Draper UT 84020 (801) 571-0900
Intermountain Seed Company Eric Christensen 445 South 100 East Ephraim UT 84627 (435) 283-4703	Rocky Mountain Seed Jeff Hallows PO Box 355 Aurora UT 84620 (435) 529-7319	

4. <u>Section 0290 – Revegetation</u>

3.03 - Mulching

Mulching shall not be required.

5. <u>Section 0290 – Revegetation</u>

3.04 – Seedbed Preparation/surface roughening

Hummocks and depressions shall be 24-inches to 36-inches relief.

7. Section 0290 - Revegetation

3.05 - Seeding

Seeding shall take place immediately following the completion of final seedbed preparation. Hand raking, manual use of a drag chain, or sweeping with sturdy tree or shrub branches shall not be required.

8. Section 0300 – Specific Site Requirements

1.01 – Work Included

Work shall be phased in concurrence with the OWNER for possible use f Area 10 for the Skyline Mine waste rock storage. Bid shall be written as shown on the Drawings. Any modification to the Work will be addressed after the Work begins.

9. Section 0300 – Specific Site Requirements

3.03 - Work Required at Individual Area Sites

T. Area 19: [side drainage channel] A riprap channel shall be installed extending down the slope along the west edge of Area 10 as shown on Map Sheet D3. The riprap channel will be approximately 900 feet long extending down the slope from the tree line to the drainage bottom. The channel shall be constructed with a bottom width of five feet and depth of one foot as shown on Map Sheet D5. Riprap shall consist of minus 6-inch graded durable rock material. The lining shall be geotextile filter blanket installed as shown on the drawings. Approximately 900 linear feet of fabric and 863 cubic yards of rock material will be required for the channel. Approximate drain alignment shall be along the western edge of Area 10 as shown on Map Sheet D3. All drainage construction shall be conducted in accordance with Technical Specification Section 0280 – Drainage Control & Stream Protection, and as shown on the drawings in Appendix D.

10. Bid Schedule

The Bid Schedule shall be replaced with the attached schedule to reflect the addition of new area description for Area 19, side drainage channel.

The Contractor is requested to acknowledge the receipt of this addendum in the blank provided on the Proposal.

Proposal

NAME OF BIDDER	DATE
TO THE DIVISION OF PURCHASING 3150 STATE OFFICE BUILDING SALT LAKE CITY, UTAH 84114	Re: RX No: 560 52000000003
Gentlemen:	
The undersigned, in compliance with your invitation for bid	s for the
WHITE OAK MINE RECLAMATION CONSTR	UCTION
having examined the Drawings and Specifications, related and being familiar with all of the conditions surrounding the the availability of labor, hereby propose to furnish all labor, WORK in accordance with the CONTRACT documents as the price stated below. This price is to cover all expenses under the CONTRACT Documents of which this Proposal completed with the OWNER prior to final execution of the	e construction of the proposed project, including materials, and supplies as required for the specified and within the time set forth and at incurred in performing the WORK required is a part. Negotiation of BID PRICE shall be
I/We acknowledge receipt of the following addenda:	
For all WORK shown on the Drawings and described in the sum of:	e Specifications, I/we agree to perform for the
	DOLLARS (\$)
(In case of discrepancy, written amount shall govern)	
For your consideration, we further propose the following A to be added/deducted to/from the above bid amount:	LTERNATIVES for the following total amounts
Add \$	Deduct \$
I/We guarantee to complete the WORK within 120 calend should I/we be the successful bidder.	dar days after receipt of Notice to Proceed,
For your consideration I/we propose an <u>alternative amount</u> Proceed, should I/we be the successful bidder. Such an ededucted from the bid amount:	of time to complete the WORK after Notice to xtension allows the following total amount to be
Alternative: Total Cal	endar Days Deduct \$
This bid shall be good for 45 days after bid opening.	
Enclosed is, as required, in the sum of \$	

PROPOSAL

Page 2

If applicable, the CONTRACTOR shall certify that all reclamation fees or civil penalty assessments required by the provision of the Surface Mining Control and Reclamation Act of 1977, P.L. 95-87, 30 U.S.C. Sec 1201 et seq., have been paid. Provided further, this certification requirement shall also apply to all Subcontractors utilized by the successful bidders.

Upon receipt of notice of acceptance of this bid, the undersigned agrees to execute the CONTRACT within five (5) days and deliver OWNER's protective bond (performance and bid) in the prescribed form in the amount of 100% of the general construction contract price for faithful performance of the CONTRACT. The certified check, cashier's check or Bid Bond attached, in the amount not less than five percent (5%) of the above BID PRICE, shall become the property of the Division of Oil, Gas & Mining in the event that the CONTRACT is not negotiated and/or the OWNER's Protective Bond delivered within the time set forth, as liquidated damages for the delay and additional expense caused thereby.

SUBSTITUTIONS AND ALTERNATIVES:

The following substitutions and/or alternatives of materials and/or equipment are proposed for your consideration:

Item	Manufacturer and Description	Addition	Deduction
		\$	<u> </u>
		\$	\$
		_ \$	 \$
□ Section□ Section	shall furnish and attach to this proposal on 0230, Part 1, 1.02 on 0240, Part 1, 1.02, A on 0270, Part 1, 1.02, A-B	□ Section	uired in the specifications: 0280, Part 1, 1.02, A-D 0290, Part 1, 1.02, A-B
The undersigned	CONTRACTOR's License Number for	Utah is	
Type of Organiza	ation:		
(Corporation, Co	-Partnership, Individual, etc.)	(Tax ID No.)	
SEAL (If a Corporation)		Respectfully s	submitted,
		Name of Bidde	er
		Address	
		Authorized Signature	anature

STATE OF UTAH

Division of Purchasing Agency Contract Bond Statement

BIDDING REQUIREMENTS

A 5% bid bond or cashier's check is required by all vendors bidding on this project. The bid bond must be attached to bid **or it will be disqualified.** Checks submitted will be returned certified mail after an official award has been made.

AWARD REQUIREMENTS

A 100% performance/payment bond will be required from the award vendor within 14 days after notification of award. Bonds must be in the form of a cashiers check (no personal or business checks) or a surety bond from a licensed surety company doing business in the State of Utah.

Performance/payment bonds (or checks) will be **held as security for a period of 12 months after completion of project**, per state law. Checks submitted will be returned certified mail <u>only</u> after this specified time. Bidder's name must be the same on both the bid forms and all bonds submitted.

Please indicate which method of bonding will be used if awarded this job:

	100% CASHIERS CHECK
	100% PERFORMANCE/PAYMENT BOND
Bond/Ir	ns Company
Agent r	name
Fax#_	Phone #

Upon awarding, the requesting agency will fax a verification to the bonding company listed above to start the bonding process. It is then the responsibility of the vendor to follow through with their bonding agent to assure the bond is processed. After the bonding company sends the bond to vendor for signatures, it is the responsibility of the vendor to mail or hand carry the <u>original bond</u> (no copies or faxes accepted) to the requesting agency, to the attention of the contract person listed on the bid. **No work can commence until the requesting agency has receipt of this performance/payment bond.** After this time the contract will be officially released to the award vendor.

Bid Bond

Date Bond Executed			
Principal			
Surety			
Sum of Bond		<u> </u>	
the STATE OF UTAH, ACTING BY AND THROUG AMOUNT STATED ABOVE, FOR THE PAYMENT heirs, executors, administrators, and successors, jo	H THE DIVIS OF WHICH S pintly and seve	PAL AND SURETY above named, are held and firmly bound ION OF OIL, GAS AND MINING OF UTAH, IN THE SUM COUM WELL AND TRULY TO BE MADE, we bind ourselves, erally, firmly by these presents. THE CONDITION OF THIS I the accompanying bid, dated as shown above, for	OF THE our
\$			
CONTRACT and give bond to be approved by the	Obligee for the	ATION IS SUCH, that if the said principal shall execute a e faithful performance thereof within ten (10) days after beir tion shall then be null and void; otherwise it shall remain in	
	rate party beir	uted this instrument under their several seals on the date in ng hereto affixed and these presents duly signed by its unde	
Individual or Partnership Principal	C	orporate Principal	
Business Address	B	usiness Address	
	B:		Affix Corporate Seal
	Ti	tle	
	C	orporate Surety:	
NOTE: If certified or cashier's	B	usiness Address	
check is used in lieu of Bid Bond, a certificate from an approved surety company	B	· _	Affix
guaranteeing execution of a full performance bond must accompany bid.	Ā		Corporate Seal
STATE OF UTAH COUNTY OF SALT LAKE)		
	any, and that	y sworn on oath, deposes and says that he/she is the he/she is duly authorized to execute the same and has consurety upon bonds, undertakings and obligations.	nplied in
Subscribed and sworn to before me this	day of	, 20	
My commission expires	_	ttorney-in-Fact	
	A	aomey-in-i act	

Bidder's Proposed Subcontractors, Suppliers & Vendors List

WHITE OAK MINE PROJECT RECLAMATION CONSTRUCTION AMR/007/934

Utah Division of Oil, Gas & Mining

We submit the following list of first-tier subcontractors, suppliers and vendors for OWNER approval. We recognize this list as binding on us, and acknowledge OWNER'S right to reject any or all subcontractors, suppliers or vendors listed or unlisted which the OWNER feels are unqualified to do the work.

SUBCONTRACTOR	CONTRACT	STATE	LICENSE
	AMOUNT	CONTRACTOR'S LICENSE NO.	LIMIT
		LICENSE NO.	
Excavation:			
Concrete Fabrication:			
Concrete i abrication.			
Masonry:			
Demolition:			
Charl Fahrinakian			
Steel Fabrication:			
Revegetation:			
Trucking/Transport:			
Polyurethane Foam:			
Other:			
Other:			
Other:			

BIDDER'S PROPOSED SUBCONTRACTORS, SUPPLIERS & VENDORS LIST

Page 2

SUPPLIER/VENDOR	AMOUNT	PRODUCT
Ready-Mix:		
Cement/Block:		
Steel:		
Polyurethane Foam:		
Other:		
Other:		
Other:		

We certify that:

- 1. This list includes all subcontractors, suppliers and vendors whose bids exceed \$5,000 (for prime contractor bids less than \$250,000) or \$25,000 (for prime contractor bids of \$250,000 or more).
- 2. Where we have listed "Self" it is our intent to perform said work and that we generally and regularly perform that type of work, and are appropriately licensed.
- 3. Any approved change in sub-bidders, suppliers or vendors which results in a lower contract price for sub-bid work shall accordingly reduce the total sum of the prime contract.

Signed by:			
Firm:			
Date:			

Note: Failure to submit this form properly completed and signed within 24 hours (not including Saturday, Sunday, or State holidays) of the bid opening may be grounds for OWNER'S refusal to enter into a written CONTRACT with BIDDER. Action will be taken against BIDDER'S bid bond or cashier's check as deemed appropriate by OWNER. Timely notice of unacceptable subcontractors, suppliers or vendors will be given to the BIDDER. Reporting of subcontractors may be required for conformance with 63A-5-208 UCA.

Minority And Woman Business Enterprise Representation

The off	eror repr	esents that it	□is	$\hfill\Box$ is not	a minority	y business (enterprise.	
	A minor	ity business e	nterpris	se is define	ed as a co	ncern that:		
	1)	economically	disadv ed by c	rantaged, one or mor	or a public e individua	ly owned bι	uals who are so usiness having socially and ed	at least 51 percent of
	2)					controlled b	y one or more	such individuals.
	individu America	als include Bla	ick Am in Ame	ericans, H ricans, an	ispanic And other inc	nerican, Na	tive Americans	disadvantaged s, Asian-Pacific fied by the Small
The off	eror repr	resents that it	□ is	□ is not	a woman	business e	enterprise.	
	A woma	an business en	terpris	e is define	d as a con	cern that:		
	1)						n, or a publicly e or more wom	owned business
	2)							of the women owners.
							but are in fact man business	managed and enterprises.
The off enterpr		esents that the	e follow	ving propo	sed subco	ntractor(s) i	is (are) a mino	rity or woman business
						•		
						-		
					Signa	ture of Offe	ror	
					Title			
					Date			

This information is requested for Federal reporting purposes only. Minority/woman status has no bearing on the selection of a contractor.

Applicant/Violator System Eligibility Check

Federal regulations (30 CFR 874.16) effective July 1, 1994, require all successful bidders on contracts funded through Title IV of the Surface Mining Control and Reclamation Act (SMCRA) of 1977 to be eligible under 30 CFR 773.15(b)(1) to receive a permit to conduct surface coal mining operations. In general, this means that the Utah Abandoned Mine Reclamation Program may not hire a contractor who is or whose company is associated with a coal mine operator with outstanding unabated violations under SMCRA. The regulations further require that contractor eligibility be confirmed by the Applicant/Violator System (AVS) at the U.S. Office of Surface Mining (OSM). Compliance checks are also required for all subcontractors receiving 10% or more of the total contract amount.

To comply with these rules, prospective bidders must provide the Division of Oil, Gas and Mining with information on the ownership and control of the firm for AVS review. A bidder must receive a recommendation of "Issue" or "Conditional Issue" from the OSM AVS office to be awarded the contract.

The two apparent low bidders shall submit to DOGM within 24 hours (excluding weekends and holidays) of the bid opening either a notarized copy of the "AML Contractor Ownership and Control Information Package" or else a copy of the "AML Contractor Ownership and Control Data Certification" updating and certifying previously submitted information. DOGM will provide forms for these submissions or you may download from the Internet at http://www.avs.osmre.gov. DOGM will submit the ownership and control information to OSM for AVS review. OSM's review will be completed within 72 hours if the ownership and control data entry is complete.

Bidders may choose to submit the required information prior to submitting the bid proposal in order to facilitate data entry by OSM and expedite the AVS review and contract award process. Forms may be obtained from DOGM.

The following information is required for the "AML Contractor Ownership and Control Information Package":

- Contractor's identity (name, address, telephone, Social Security number, Employee ID number).
- Contractor's legal structure (sole proprietorship, partnership, corporation).
- Identities (name, address, telephone, SSN, EIN, % ownership) of every officer, general partner, shareholder (10% voting stock), director, or other controlling entity.
- Identities of parties with the authority to commit the assets of the firm.
- Identities of other relationships that give direct or indirect authority over the execution of the work.
- List (name, address, permit number, MSHA number) of all permits issued in the last five years to or pending permit applications for coal mining operations by any parties identified above.
- All of the above information for any subcontractor with 10% of the contract amount.

White Oak Mine Project Summary Bid Schedule

	Lump Sum Amount
SITE ACCESS & IMPROVEMENT	\$
DEMOLITION & CLEANUP	\$
SITE GRADING & EARTHWORK	\$
STREAM RESTORATION	\$
REVEGETATION	\$
MOBILIZATION/DEMOBILIZATION	\$
BONDS & INSURANCE	\$
TOTAL CONTRACT BID PRICE	\$
TOTAL CONTRACT BID PRICE WRITTEN:	
DATE: BY:	
FIDM.	

By the above signature I/we acknowledge that I/we have examined the site conditions and have made the measurements and evaluations necessary to plan and bid the WORK.

Note: The "Variation in Quantity Unit Price" on the Mine Closure Bid Schedule will be used for adjustments to the CONTRACT amount where the actual WORK quantity varies by more than 15% from the estimated quantity listed in the bid schedule (see Supplementary Condition No. 6: Variation in Estimated Quantity). The "Variation in Quantity Unit Price" will also be used as the basis for determining costs for closures not currently specified in the WORK that may be added in the future by change order. Award of CONTRACT will be based on consideration of both the base "Bid Price" and the "Variation in Quantity Unit Price" for additional/reduced WORK.

White Oak Mine Project Bid Schedule

	Reclamation Action Item Site No. and Name	Specification Section	Tag Number	Estimated Quantity	Lump Sum Amount(\$)	Variation in Quantity Unit Price (\$/Unit)
1.	Site Access & Improvements	0230		·	,	` '
	Mine Site			Access 1 ea.	\$	\$ <u></u>
2.	Demolition & Cleanup	0240				
	Guard Rail			1 ea.	\$	\$ <u></u>
3.	Site Grading & Earthwork	0270				
	Area 1		Fill	3,000 cyd	\$	\$ <u>/cyd</u>
	Area 2		Cut	500 cyd	\$	\$ <u>/cyd</u>
	Area 3		Cut	747 cyd	\$	\$ <u>/cyd</u>
			Fill	2,877 cyd	\$	\$/cyd
	Area 4		Cut	2,517 cyd	\$	\$ <u>/cyd</u>
			Fill	2,369 cyd	\$	\$ <u>/cyd</u>
	Area 5		Cut	325 cyd	\$	\$ <u>/cyd</u>
			Fill	325 cyd	\$	\$ <u>/cyd</u>
	Area 6		Cut	12,132 cyd	\$	\$ <u>/cyd</u>
			Fill	744 cyd	\$	\$ <u>/cyd</u>
	Area 7		Cut	333 cyd	\$	\$ <u>/cyd</u>
			Fill	2,859 cyd	\$	\$ <u>/cyd</u>
	Area 8		Cut	57,053 cyd	\$	\$ <u>/cyd</u>
			Fill	142,901 cyd	\$	\$ <u>/cyd</u>
	Area 9		Cut	13,456 cyd	\$	\$ <u>/cyd</u>
			Fill	2,162 cyd 10	\$	\$ <u>/cyd</u>

	Area 10	Cut	136,936 cyd	\$ 	\$ /cyd
		Fill	137,000 cyd	\$ 	\$ /cyd
	Area 11	Cut	11,134 cyd	\$ 	\$ /cyd
		Fill	12,376 cyd	\$ 	\$ /cyd
	Area 12	Cut	125,213 cyd	\$ 	\$ /cyd
		Fill	175 cyd	\$ 	\$ /cyd
	Area 13	Cut	999 cyd	\$ 	\$ /cyd
		Fill	5 cyd	\$ 	\$ /cyd
	Area 14	Cut	13,912 cyd	\$ 	\$ /cyd
		Fill	56,141 cyd	\$ 	\$ /cyd
	Area 15	Rou	ghening 8.0 ac	\$ 	\$ /acre
	Area 16	Cut	535 cyd	\$ 	\$ /cyd
		Fill	535 cyd	\$ 	\$ /cyd
4. Stre	eam Restoration 0280				
	Sub-drain Area 5		310 ft	\$ 	\$ /ft
			325 cyd	\$ 	\$ /cyd
	Sub-drain Area 7		220 ft	\$ 	\$ /ft
	Rip-rap Area 14 - Channel Design A		33 cyd	\$ 	\$ /cyd
			2,100 ft	\$ 	\$ /ft
			3,970 cyd	\$ 	\$ /cyd
	Rip-rap Area 18 - Channel Design B		240 ft	\$ 	\$ /ft
			230 cyd	\$ 	\$ /cyd
	Rip-rap Area 19 - Channel Design B		900 ft	\$ 	\$ <u>/ft</u>
			863 cyd	\$ 	\$ /cyd
	Perforated CMP Area 17		340 ft	\$ 	\$ /ft

5. Revegetation 0290

Total Bid for WHITE	Total Bid for WHITE OAK MINE			
Transplants NW Slopes Area	4 acres	\$	\$	/acre
Transplants SE Slopes Area	5 acres	\$	\$	/acre
Seed mixture Area	40 acres	\$	\$	/acre

Note: Award of CONTRACT will be based on consideration of both the base "Bid Price" and the "Variation in Quantity Unit Price" for additional/reduced WORK